

## Safety Data Sheet (MSDS)

### - Linalool

(According to GB/T 16483 and GB/T 17519; Adapts to GHS, IMDG, IATA Standards) **Revision**

**Date:** 15 FEB 2026 **Product Name:** Linalool | **CAS No.:** 78-70-6 | **Product Number:** L-20260215 |

**Brand:** SIGALD

### SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

#### 1.1 Product Identifiers

- Synonyms: 3,7-Dimethyl-1,6-octadien-3-ol; Linalol; 2,6-Dimethyl-2,7-octadien-6-ol
- Chemical Formula: C<sub>10</sub> H<sub>18</sub> O | Molecular Weight: 154.25 g/mol

#### 1.2 Details of the supplier of the safety data sheet

- Company: NEWAY SINOPHC TECH. LIMITED
- Address: RM. 204, BUILDING 3, NO. 188, AONA RD., CHINA (SHANGHAI) PILOT FREE TRADE ZONE.
- Telephone: +86-021-50350029 | Fax: +86-021-50350029

#### 1.3 Emergency telephone

- Emergency Phone #: +86-021-50350029 (CHEMTREC)

#### 1.4 Relevant Identified Uses and Uses Advised Against

- **Identified Uses:** Fragrance & flavor raw material; cosmetic ingredient; pharmaceutical intermediate; cleaning agent additive; essential oil synthesis raw material.
- **Uses Advised Against:** Not for direct oral consumption in large quantities; no use in infant food without regulatory approval; avoid use in high-temperature thermal processing without stabilizer.

### SECTION 2: Hazards Identification

#### 2.1 GHS Classification

- Flammable Liquids (Category 4)
- Skin Irritation (Category 2)
- Eye Irritation (Category 2A)
- Skin Sensitization (Category 1)
- Specific Target Organ Toxicity - Single Exposure (Category 3, Respiratory tract irritation)
- Hazardous to the Aquatic Environment - Acute (Category 2)

#### 2.2 GHS Label Elements

- **Hazard Pictogram:** Flame ( ), Exclamation Mark ( ), Aquatic Hazard ( )

- **Signal Word:** WARNING

#### • Hazard Statements:

- H227: Combustible liquid
- H315: Causes skin irritation
- H317: May cause an allergic skin reaction
- H319: Causes serious eye irritation
- H335: May cause respiratory tract irritation
- H411: Toxic to aquatic life with long lasting effects

#### • Precautionary Statements:

- P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- P233: Keep container tightly closed.
- P261: Avoid breathing dust/fume/gas/mist/vapors/spray
- P264: Wash skin thoroughly after handling
- P272: Contaminated work clothing should not be allowed out of the workplace.
- P273: Avoid release to the environment
- P280: Wear protective gloves/eye protection/face protection

- P302+P352: If on skin: Wash with plenty of soap and water
- P305+P351+P338: If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P333+P313: If skin irritation or rash occurs: Get medical advice/attention
- P337+P313: If eye irritation persists: Get medical advice/attention
- P362+P364: Take off contaminated clothing and wash it before reuse
- P370+P378: In case of fire: Use dry chemical, CO<sub>2</sub>, or foam for extinction
- P501: Dispose of contents/container to an approved waste disposal plant

### 2.3 Physical and Chemical Hazards

- Combustible liquid; vapor may form flammable mixtures with air at high temperature.
- Vapors may spread along the ground and ignite at a distance from the fire source under high temperature.
- No explosion risk under normal storage and use conditions with proper ventilation.

### 2.4 Health Hazards

- Acute: Skin/eye irritation; respiratory tract irritation if inhaled in high concentration; dizziness from excessive inhalation.
- Chronic: May cause allergic skin reaction in sensitive individuals with repeated contact; no known chronic systemic toxicity based on current data.

### 2.5 Environmental Hazards

- Toxic to aquatic organisms with long-lasting effects; may cause harm to fish, algae and invertebrates.
- Moderately biodegradable; avoid release to water, soil and sewage systems.

### 2.6 Other Hazards

- May oxidize in air and light to form peroxides with prolonged storage.

## SECTION 3: Composition/Information on Ingredients

- **Substance / Mixture:** Pure substance
- **Active Ingredient:** Linalool (CAS 78-70-6), Concentration: ≥98.0% (w/w)
- **Hazardous Ingredients:** Only Linalool (no other hazardous additives; contains trace antioxidant BHT ≤0.01% to prevent oxidation)

## SECTION 4: First Aid Measures

### 4.1 Description of First-Aid Measures

- **If Inhaled:** Move victim to fresh air. Keep respiratory tract unobstructed. If breathing is difficult, give oxygen. Get medical advice if dizziness, cough or sore throat persists.
- **In Case of Skin Contact:** Remove contaminated clothing immediately. Wash skin thoroughly with plenty of running water and soap for 10-15 minutes. Do not use alcohol or solvents for cleaning.
- **In Case of Eye Contact:** Rinse eyes thoroughly with plenty of running water for 15 minutes, holding eyelids open. Remove contact lenses if present. Get medical attention immediately if irritation, redness or blurred vision persists.
- **If Swallowed:** Do not induce vomiting. Rinse mouth with water. Drink a glass of water or milk (if conscious). Get medical attention immediately if abdominal pain, nausea or vomiting occurs.

### 4.2 Most Important Symptoms and Effects

- Acute: Redness, burning, itching of skin/eyes; rash (in sensitive individuals); cough, sore throat (inhalation); nausea, abdominal discomfort (ingestion); dizziness (excessive inhalation).
- Delayed: Allergic skin reaction may appear 24-48 hours after contact in sensitive individuals.

### 4.3 Indication of Immediate Medical Attention

- Required for severe eye irritation, persistent allergic skin rash, severe respiratory discomfort, excessive inhalation or ingestion of large quantities.



# NEWAY SINOPHC TECH. LIMITED

ADD:RM. 204, BUILDING 3, NO. 188, AONA RD., CHINA (SHANGHAI) PILOT FREE TRADE ZONE.  
Email:marketing01@newayphc.com; Phone:+86-021-50350029 <https://www.newayphc.com>

## SECTION 5: Firefighting Measures

### 5.1 Extinguishing Media

- **Suitable:** Dry chemical powder, carbon dioxide (CO<sub>2</sub>), foam (alcohol-resistant), water spray (cool container only).
- **Unsuitable:** High-pressure water jet (may spread the fire and vapor).

### 5.2 Special Hazards Arising from the Substance

- Combustion generates carbon monoxide (CO) and small amounts of volatile organic compounds.
- Oxidized peroxides may decompose violently during combustion and release toxic fumes.

### 5.3 Advice for Firefighters

- Wear self-contained breathing apparatus (SCBA) and full fire-fighting protective gear.
- Fight fire from upwind and keep a safe distance from burning containers.
- Cool exposed containers with water spray until the fire is completely out to prevent re-ignition and peroxide decomposition.
- Prevent fire runoff from entering sewers, water bodies or soil.

## SECTION 6: Accidental Release Measures

### 6.1 Personal Precautions

- Wear nitrile rubber gloves, chemical splash goggles, protective mask and chemical-resistant clothing.
- Eliminate all ignition sources (no smoking, no sparks, no open flames) in the spill area if temperature is above 50°C.
- Ensure good natural or mechanical ventilation; evacuate non-essential personnel.

### 6.2 Environmental Precautions

- Contain the spill immediately to prevent release to water, soil, sewers or drains.
- Do not flush the spill into water bodies; use absorbent materials to contain and collect the product.

### 6.3 Methods and Materials for Containment and Cleaning Up

- **Small Spill:** Absorb with inert, non-combustible materials (sand, diatomite, vermiculite). Collect the absorbed material in a sealed container for proper disposal. Wipe the area with absorbent paper and dispose of it.
- **Large Spill:** Contain with dikes or sand bags (non-combustible). Transfer the liquid to a sealed HDPE container using a pump for recycling or disposal. Flush the spill area with a small amount of water (collect wash water for disposal).

## SECTION 7: Handling and Storage

### 7.1 Precautions for Safe Handling

- Operate in a well-ventilated fume hood or open, well-ventilated area.
- Avoid contact with skin, eyes and respiratory tract; avoid generating vapors or mists.
- No smoking, eating or drinking in the handling area; wash hands thoroughly after operation.
- Use plastic or glass tools for transfer; avoid metal tools that may cause static electricity.
- Label contaminated clothing and wash separately before reuse.

### 7.2 Conditions for Safe Storage

- **Storage Conditions:** Store in a cool, dry, dark, well-ventilated warehouse (temperature ≤25°C). Keep away from heat, sparks, open flames, hot surfaces and direct sunlight.
- **Container:** Sealed dark glass or HDPE containers; keep tightly closed when not in use.
- **Incompatibilities:** Strong oxidizing agents (e.g., hydrogen peroxide, potassium permanganate), strong acids, strong bases, halogens, oxidizing acids, heavy metal salts.
- **Storage Class (TRGS 510):** 3 (Flammable Liquids)
- **Shelf Life:** 24 months (unopened, under specified storage conditions with antioxidant BHT).

## SECTION 8: Exposure Controls/Personal Protection

### 8.1 Control Parameters

- **Occupational Exposure Limit:** TWA: 50 ppm (315 mg/m<sup>3</sup>) (OSHA); STEL: 75 ppm (470 mg/m<sup>3</sup>) (OSHA)
- **TLV-TWA:** 25 ppm (ACGIH) (due to skin sensitization potential)

### 8.2 Exposure Controls

- **Engineering Controls:** Local exhaust ventilation (LEV) to keep vapor concentration below OEL; general ventilation to maintain air circulation.
- **Personal Protective Equipment (PPE):**
  - Eye/Face Protection: Chemical splash goggles and face shield (for large-scale handling).
  - Skin Protection: Nitrile rubber gloves (thickness ≥0.3mm), chemical-resistant lab coat, protective boots; avoid latex gloves (may increase sensitization risk).
  - Respiratory Protection: Half-face respirator with organic vapor cartridge (if ventilation is insufficient or vapor concentration exceeds OEL).
  - Hand Protection: Replace gloves if damaged, contaminated or permeated; wash hands immediately after glove removal.

## SECTION 9: Physical and Chemical Properties

Property	Value	Unit
Physical State	Clear liquid	-
Color	Colorless	-
Odor	Characteristic fresh floral, lavender-like fragrance	-
Melting Point	-8.3	°C
Boiling Point	199.2	°C
Flash Point	76	°C (Closed Cup)
Autoignition Temperature	280	°C
Relative Density (20/20°C)	0.857	-
Refractive Index (20°C)	1.4621	-
Viscosity (25°C)	1.5	mPa·s
Water Solubility	Slightly soluble (1.5 g/L at 25°C)	g/L
Solubility	Miscible with ethanol, ether, acetone, vegetable oil, most organic solvents	-
Vapor Pressure (25°C)	0.15	hPa
Vapor Density (Air=1)	5.3	(-)
Flammability	Combustible liquid (Category 4)	-
Optical Rotation (20°C)	+2.1	°
Octanol/Water Partition Coefficient (Log K <sub>oc</sub> )	3.3	(-)

## SECTION 10: Stability and Reactivity

### 10.1 Chemical Stability

- Stable under normal temperature and storage conditions (≤25°C, sealed, dark); may oxidize slowly in air and light to form peroxides (stabilized with BHT).
- Stable to hydrolysis under neutral and weak acidic/basic conditions.

### 10.2 Possibility of Hazardous Reactions

- No hazardous reactions under normal use and storage conditions; may react violently with strong oxidizing agents and heavy metal salts.
- Peroxides formed by oxidation may decompose violently when heated or shocked.

### 10.3 Conditions to Avoid

- High temperature (>60°C), open flame, direct sunlight, air/oxygen (long-term contact), strong oxidizing agents, strong acids/bases, static electricity, shock.

### 10.4 Incompatible Materials

- Strong oxidizing agents (KMnO<sub>4</sub>, H<sub>2</sub>O<sub>2</sub>, concentrated nitric acid), concentrated sulfuric acid, sodium hydroxide (concentrated), chlorine gas, bromine, copper/zinc salts.

### 10.5 Hazardous Decomposition Products

- Carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>), volatile terpenoid fragments (at high temperature/combustion); peroxides (on long-term exposure to air/light).

## SECTION 11: Toxicological Information

- **Acute Oral Toxicity (Rat, LD<sub>50</sub>):** 2,700 mg/kg (moderate toxicity)
- **Acute Dermal Toxicity (Rabbit, LD<sub>50</sub>):** >5,000 mg/kg (low toxicity)
- **Skin Irritation (Rabbit):** Mild to moderate irritation (Category 2), reversible within 72 hours
- **Eye Irritation (Rabbit):** Moderate irritation (Category 2A), reversible within 48 hours
- **Skin Sensitization (Guinea pig):** Positive (Category 1), may cause allergic contact dermatitis
- **Inhalation Toxicity (Rat, LC<sub>50</sub>):** >10,000 mg/m<sup>3</sup> (4-hour exposure) (low inhalation toxicity)
- \*\*C toxicity)
- **Carcinogenicity:** Not classified as carcinogenic by IARC, EPA or NTP
- **Reproductive Toxicity:** No known reproductive toxicity based on current data (NOAEL: 300 mg/kg/day)
- **Specific Target Organ Toxicity:** May cause respiratory tract irritation at high concentration (single exposure)

## SECTION 12: Ecological Information

- **Fish Toxicity (Zebrafish, LC<sub>50</sub>):** 35 mg/L (96-hour exposure)
- **Daphnia Toxicity (EC<sub>50</sub>):** 22 mg/L (48-hour exposure)
- **Algae Toxicity (Chlorella, EC<sub>50</sub>):** 30 mg/L (72-hour exposure)
- **Persistence and Degradability:** Moderately biodegradable (BOD<sub>5</sub>/COD = 0.45; 65-75% biodegradation in 28 days)
- **Bioaccumulative Potential:** Low to moderate (Log K<sub>oc</sub> = 3.3; bioaccumulation factor (BCF) = 200-500 in fish)
- **Mobility in Soil:** Moderate mobility; may bind to soil organic matter
- **PBT/vPvB Assessment:** Not classified as PBT/vPvB (moderately biodegradable, no persistent bioaccumulation)

## SECTION 13: Disposal Considerations

### 13.1 Waste Treatment Methods

- **Product Waste:** Dispose of through licensed hazardous waste treatment facilities in accordance with local/national/international regulations. Incineration with waste gas treatment (to remove organic vapors and CO) is recommended.
- **Contaminated Packaging:** Rinse packaging thoroughly with an organic solvent (ethanol/acetone); collect the rinse liquid for disposal. Dispose of the rinsed packaging as hazardous waste or recycle after professional treatment.
- \*\*Do not dispose of into the environment, sewers, trash or water bodies; do not dump on soil.

## SECTION 14: Transport Information

- **UN Number:** 3082
- **UN Proper Shipping Name:** Environmentally hazardous substances, liquid, n.o.s. (Linalool)

- **Transport Hazard Class:** 9 (Miscellaneous dangerous goods)
- **Packaging Group:** III
- **Environmental Hazards:** IMDG Marine Pollutant: Yes
- **Special Precautions for Transport:**
  - Transport in sealed dark glass/HDPE containers; avoid collision, leakage, breakage and direct sunlight.
  - Keep away from heat, sparks, open flames and hot surfaces during transport (temperature  $\leq 30^{\circ}\text{C}$ ).
  - Do not transport with strong oxidizing agents, strong acids, strong bases, food, food additives or cosmetics in the same vehicle.
  - Comply with IMDG, IATA, ADR/RID and national transport regulations for Class 9 goods.

## **SECTION 15: Regulatory Information**

### **15.1 National & International Regulations**

- **China:** Hazardous Chemicals Safety Management Regulation (Class 9 miscellaneous dangerous goods); National Food Safety Standard (approved for food flavor use); Cosmetic Safety and Technical Specifications (approved for cosmetic use).
- **International:** GHS Classification (Rev.9); REACH (EU: registered, not in SVHC Candidate List); TSCA (US: listed on TSCA Inventory); FDA (US: GRAS for food use); IMDG/IATA/ADR (Class 9 miscellaneous dangerous goods).

### **15.2 Other Regulations**

- Comply with local environmental protection, hazardous waste disposal and occupational health and safety regulations; comply with cosmetic fragrance safety regulations (limit for skin sensitization).

## **SECTION 16: Other Information**

- This MSDS is based on current scientific knowledge and complies with GB/T 16483, GB/T 17519 and GHS (Rev.9) standards.
- The product contains antioxidant BHT ( $\leq 0.01\%$ ) to prevent oxidation and peroxide formation; no other additives are present.
- The supplier is not liable for any damage caused by improper use, storage, transport or disposal of this product.
- For updated information, contact the supplier directly.